

Model:

TOAM-30GS-HC~NSL01

Open Air Merchandiser:


Refrigerator with Glass Sides and Hydrocarbon Refrigerant



TOAM-30GS-HC~NSL01

- ▶ Large, open front allows easy access to display levels and places maximum attention on merchandising.
- ▶ Factory engineered system using environmentally friendly R290 hydrocarbon refrigerant.
- ▶ High capacity, factory balanced refrigeration system that maintains cabinet temperatures of 1.6°C to 4.4°C.
- ▶ Patented reversing condenser fan motors help keeping the condenser coil free from dirt, dust and debris. Regularly scheduled thorough cleaning of coils still recommended.
- ▶ Exterior - Attractive and durable clear aluminum
- ▶ Interior - NSF approved, aluminum liner. Stainless steel interior floor and deck pans.
- ▶ Four (4) adjustable, solid grey powder coated cantilever shelves.
- ▶ LED interior cabinet lighting + LED lighting under each shelf provides more even lighting throughout the cabinet.
- ▶ Glass lower front and side panel. Durable and break resistant maximizes product visibility.
- ▶ Entire cabinet structure is foamed-in-place using a high density, environmentally friendly, polyurethane insulation.
- ▶ NSF/ANSI Standard 7 Type I compliant for the storage and/or display of packaged or bottled product; maximum ambient temperature 24°C.

PLAN VIEW



ROUGH-IN DATA

Voltage: 220-240V/50Hz

Specifications subject to change without notice. Chart dimensions rounded up to the next whole millimeter (inches rounded up to the next 1/8").

Model	Doors	Shelves	Cabinet Dimensions (mm)			Total Display Area (m ²)	EEC	EEI	Temperature Class	Annual Energy Consumption (kWh)	Crated Weight (kg)
			W	D	H						
TOAM-30GS-HC~NSL01	—	4	762	738	1994	1,114	F	74,6	M2	5759	177

Test Standard: EN23953 - Climate Class 3 (25°C, 60% relative humidity).